

Author Index

- ATZMON, N. & VAN STADEN, J.
Metabolism of [8-¹⁴C] *trans*-zeatin by intact and decapitated tap roots of *Pinus pinea* 27–30
- BEZUIDENHOUT, H., BREDEKAMP, G.J. & THERON, G.K.
A classification of the vegetation of the western Transvaal dolomite and chert grassland, South Africa 152–161
- BEZUIDENHOUT, H., BREDEKAMP, G.J. & THERON, G.K.
Syntaxonomy of the vegetation of the Fb land type in the western Transvaal grassland, South Africa 72–81
- BEZUIDENHOUT, H., BREDEKAMP, G.J. & THERON, G.K.
The vegetation syntaxa of the Ba land type in the western Transvaal Grassland, South Africa 214–224
- BEZUIDENHOUT, H., BREDEKAMP, G.J., THERON, G.K. & MORRIS, J.W.
A Braun-Blanquet reclassification of the Bankenveld Grassland in the Lichtenburg area, south-western Transvaal 297–305
- BEZUIDENHOUT, H., BREDEKAMP, G.J., THERON, G.K. & MORRIS, J.W.
Braun-Blanquet reclassification of the *Cymbopogon-Themedra* Grassland in the Lichtenburg area, south-western Transvaal 306–314
- BHAT, R.B. *see* SAMUEL, J. 113–117
- BOSA, A.J.N. *see* McLELLAN, T. 136–137
- BOTHA, W.J. *see* THOMPSON, A.H. 257–260
- BREDEKAMP, G.J. *see* BEZUIDENHOUT, H. 72–81
- BREDEKAMP, G.J. *see* BEZUIDENHOUT, H. 152–161
- BREDEKAMP, G.J. *see* BEZUIDENHOUT, H. 214–224
- BREDEKAMP, G.J. *see* BEZUIDENHOUT, H. 297–305
- BREDEKAMP, G.J. *see* BEZUIDENHOUT, H. 306–314
- BREDEKAMP, G.J. *see* COETZEE, J.P. 49–61
- BREDEKAMP, G.J. *see* COETZEE, J.P. 61–67
- BROWNING, J., GORDON-GRAY, K.D. & WARD, C.J.
Studies in Cyperaceae in southern Africa 23: A re-assessment of *Schoenoplectus litoralis*, *Sch. subulatus* and *Scirpus pterolepis* 169–174
- BROWNING, J. & GORDON-GRAY, K.D.
Studies in Cyperaceae in southern Africa. 24: Three species of *Scirpoides* 315–320
- BROWNING, J. & GUTHRIE, I.
Studies in Cyperaceae in southern Africa 22: spikelet structure in African species of *Carpha* R.Br. 148–151

Register van Outeurs

- CHAMBERLAIN, Y.M. *see* KEATS, D.W. 8–21
- CHAMBERLAIN, Y.M. *see* KEATS, D.W. 175–190
- CLOETE, E.C. *see* McLELLAN, T. 136–137
- COETZEE, J.C. & EICKER, A.
First report of *Trichophaea abundans* and the teleomorph of *Peziza ostracoderma* associated with mushroom cultivation in South Africa 132–133
- COETZEE, J.P., BREDEKAMP, G.J. & VAN ROOYEN, N.
Phytosociology of the wetlands of the Ba and Ib land types in the Pretoria – Witbank – Heidelberg area of the Transvaal, South Africa 61–67
- COETZEE, J.P., BREDEKAMP, G.J., VAN ROOYEN, N. & THERON, G.K.
An overview of the physical environment and vegetation units of the Ba and Ib land types of the Pretoria – Witbank – Heidelberg area 49–61
- COETZEE (née van Wyk), N., VAN DER WALT, J.J.A. & MARAIS, E.M.
The identity of a natural hybrid of *Pelargonium* (Geraniaceae) 1–4
- COHEN, D. *see* YAO, J.-L. 4–7
- COWAN, A.K. *see* DENT, R.M. 340–344
- CRON, G.V.
Two new species of *Cineraria* L. (Senecioneae, Asteraceae) 161–167
- CROUCH, N.R. & VAN STADEN, J.
In vitro propagation of a number of South African *Oxalis* species 134–135
- CROUS, P.W. *see* MORRIS, M.J. 325–332
- DE CASTRO, A. & VAN WYK, B.-E.
Diagnostic characters and geographic distribution of *Alepidea* species used in traditional medicine 345–350
- DE VILLIERS, A.J., VAN ROOYEN, M.W. & THERON, G.K.
Comparison of two methods for estimating the size of the viable seed bank of two plant communities in the Strandveld of the west coast, South Africa 81–84
- DENT, R.M. & COWAN, A.K.
Abscissic acid-induced senescence in light- and dark-incubated detached leaves of barley 340–344
- DICKS, H.M. *see* WILSON, P.J. 276–278
- DREWES, F.E. & VAN STADEN, J.
In vitro propagation of *Gethyllis linearis* L. Bol., a rare indigenous bulb 295–296
- DREWES, F.E. *see* VAN STADEN, J. 191–192
- DREWES, F.E. *see* VAN STADEN, J. 293–294

- DU PREEZ, P.J. *see* MALAN, P.W. 245–250
EDWARDS, T.J.
Notes on the genus *Argyrolobium* (Crotalariaeae, Leguminosae), including a new species from southern Africa 39–43
EDWARDS, T.J. *see* WEIGEND, M. 168–169
EICKER, A. *see* COETZEE, J.C. 132–133
EICKER, A. *see* THOMAS, T.V. 251–256
GORDON-GRAY, K.D. *see* BROWNING, J. 169–174
GORDON-GRAY, K.D. *see* BROWNING, J. 315–320
GUTHRIE, I. *see* BROWNING, J. 148–151
JONES, N.B. & VAN STADEN, J.
Micropropagation and establishment of *Eucalyptus grandis* hybrids 122–126
KEATS, D.W. & CHAMBERLAIN, Y.M.
Three species of *Hydrolithon* (Rhodophyta, Corallinales): *Hydrolithon onkodes* (Heydrich) Penrose and Woelkerling, *Hydrolithon superficiale* sp. nov., and *H. samoëns* (Foslie) comb. nov. from South Africa 8–21
KEATS, D.W. & CHAMBERLAIN, Y.M.
Two melobesiod coralline algae (Rhodophyta, Corallinales), *Mesophyllum erubescens* (Foslie) Lemoine and *Mesophyllum funafutiense* (Foslie) Verheij from Sodwana Bay, South Africa 175–190
KEATS, D.W., MATTHEWS, I. & MANEVELDT, G.
Competitive relationships and coexistence in a guild of crustose algae in the eulittoral zone, Cape Province, South Africa 108–113
KELLY, K.M. & VAN STADEN, J.
Carbohydrate production in guayule 193–198
KRÜGER, G.H.J. *see* VAN RENSBURG, L. 139–144
KRÜGER, G.H.J. *see* VAN RENSBURG, L. 227–230
KRÜGER, H. *see* VAN RENSBURG, L. 227–230
LE ROUX, L.G. & ROBBERTSE, P.J.
Tuber ontogeny, morphology and vegetative reproduction of *Gloriosa superba* L. 321–324
MALAN, P.W., VENTER, H.J.T. & DU PREEZ, P.J.
Phytosociology of the Bloemfontein West District: Vegetation of the Ae land type 245–250
MANEVELDT, G. *see* KEATS, D.W. 108–113
MARAIS, E.M.
Two new species of *Pelargonium* (Geraniaceae) from the Western Cape 333–339
MARAIS, E.M. *see* COETZEE (née van Wyk), N. 1–4
MARAIS, E.M. *see* VAN DER MERWE (née Summerfield) 99–107
MATTHEWS, I. *see* KEATS, D.W. 108–113
McLELLAN, T., CLOETE, E.C. & BOSA, A.J.N.
Naturalization of *Begonia cucullata* in the Port St. Johns region, Transkei 136–137
MOFFETT, R.O.
Rhus longispina and *Rhus pterota*, two hitherto confused South African shrubs 43–49
MORRIS, J.W. *see* BEZUIDENHOUT, H. 297–305
MORRIS, J.W. *see* BEZUIDENHOUT, H. 306–314
MORRIS, M.J. & CROUS, P.W.
New and interesting records of South African fungi. XIV. Cercosporoid fungi from weeds 325–332
MYNHARDT, J.E., VAN ROOYEN, M.W. & THERON, G.K.
Competitive ability of two grass species: *Antheophora pubescens* and *Eragrostis curvula*. 1. Yield and biomass allocation 261–268
MYNHARDT, J.E., VAN ROOYEN, M.W. & THERON, G.K.
Competitive ability of two grass species: *Antheophora pubescens* and *Eragrostis curvula*. 2. Growth analysis 269–275
OPPERMAN, L. & WEHNER, F.C.
Survey of fungi associated with grass roots in virgin soils on the Springbok Flats 67–72
POTGIETER, M.J. & VAN WYK, A.E.
Fruit structure of the genus *Cassinopsis* Sond. (Icacinaeae) in Africa 117–122
POTGIETER, M.J. *see* VAN WYK, A.E. 231–239
ROBBERTSE, P.J. *see* LE ROUX, L.G. 321–324
ROBBERTSE, P.J. *see* THOMAS, T.V. 251–256
ROWLAND, R.E. *see* YAO, J.-L. 4–7
SAMUEL, J. & BHAT, R.B.
Epidermal structure, organographic distribution and onhogeny of stomata in vegetative and floral organs of *Stenoglottis fimbriata* (Orchidaceae) 113–117
SCHMIDT, A.G., THERON, G.K. & VAN HOVEN, W.
A gradient analysis and selection of key ecological species for veld management in a degraded environment near Villa Nora, north-western Transvaal, South Africa 202–210
SCHULZE, E., THERON, G.K. & VAN HOVEN, W.
The vegetation and identification of management units of the Imberbe Game Lodge in the mixed bushveld of the north-western Transvaal 85–93
SPIES, J.J. *see* VISSER, N.C. 22–26
SPIES, J.J. *see* VISSER, N.C. 31–39
SPIES, J.J. *see* VISSER, N.C. 127–131
SPIES, J.J. *see* VISSER, N.C. 279–284
SPIES, J.J. *see* VISSER, N.C. 285–292
STEINER, K.E.
A new *Nemesia* from the interior of the southern Cape, South Africa 211–213
THERON, G.K. *see* BEZUIDENHOUT, H. 72–81
THERON, G.K. *see* BEZUIDENHOUT, H. 152–161
THERON, G.K. *see* BEZUIDENHOUT, H. 214–224
THERON, G.K. *see* BEZUIDENHOUT, H. 297–305
THERON, G.K. *see* BEZUIDENHOUT, H. 306–314
THERON, G.K. *see* COETZEE, J.P. 49–61
THERON, G.K. *see* DE VILLIERS, A.J. 81–84
THERON, G.K. *see* MYNHARDT, J.E. 261–268
THERON, G.K. *see* MYNHARDT, J.E. 269–275
THERON, G.K. *see* SCHMIDT, A.G. 202–210
THERON, G.K. *see* SCHULZE, E. 85–93
THOMAS, T.V., EICKER, A. & ROBBERTSE, P.J.
Possible role of fungi in negatively affecting fruit-set in avocados 251–256
THOMPSON, A.H., BOTHA, W.J. & UYS, M.D.R.
Phytophthora capsici (Oomycota: Fungi), a first report from South Africa 257–260
TILNEY, P.M. *see* VAN WYK, B.-E. 240–244
UPFOLD, S.J. *see* VAN STADEN, J. 293–294
UPFOLD, S.J. *see* VAN STADEN, J. 225–226
UYS, M.D.R. *see* THOMPSON, A.H. 257–260
VAN DER MERWE (née Summerfield), A.M., VAN DER WALT, J.J.A. & MARAIS, E.M.
Anatomical adaptations in the leaves of selected fynbos species 99–107
VAN DER WALT, J.J.A.
A new species of *Pelargonium* section *Campylia* (Geraniaceae) 144–148

- VAN DER WALT, J.J.A. *see* COETZEE (née van Wyk), N. 1-4
- VAN DER WALT, J.J.A. *see* VAN DER MERWE (née Summerfield), A.M. 99-107
- VAN HOVEN, W. *see* SCHMIDT, A.G. 202-210
- VAN HOVEN, W. *see* SCHULZE, E. 85-93
- VAN RENSBURG, L. & KRÜGER, G.H.J.
Osmoregulation, monitored by pressure-volume tissue water component analysis, in cultivars of *Nicotiana tabacum* L. of different drought tolerance 139-144
- VAN RENSBURG, L., KRÜGER, H. & KRÜGER, G.H.J.
Intercellular space variation among air-cured *Nicotiana tabacum* L. genotypes and its relation to their water use efficiency 227-230
- VAN ROOYEN, M.W. *see* DE VILLIERS, A.J. 81-84
- VAN ROOYEN, M.W. *see* MYNHARDT, J.E. 261-268
- VAN ROOYEN, M.W. *see* MYNHARDT, J.E. 269-275
- VAN ROOYEN, N. *see* COETZEE, J.P. 49-61
- VAN ROOYEN, N. *see* COETZEE, J.P. 61-67
- VAN STADEN, J. & DREWES, F.E.
The effect of benzyladenine and its glucosides on adventitious bud formation on *Lachenalia* leaf sections 191-192
- VAN STADEN, J. & UPFOLD, S.J.
Transport and metabolism of hypoxoside in intact plants of *Hypoxis hemerocallidea* 225-226
- VAN STADEN, J., UPFOLD, S.J. & DREWES, F.E.
Cytokinins in green and yellow leaflets of *Schefflera arboricola* 293-294
- VAN STADEN, J. *see* ATZMON, N. 27-30
- VAN STADEN, J. *see* CROUCH, N.R. 134-135
- VAN STADEN, J. *see* DREWES, F.E. 295-296
- VAN STADEN, J. *see* JONES, N.B. 122-126
- VAN STADEN, J. *see* KELLY, K.M. 193-198
- VAN STADEN, J. *see* WILSON, P.J. 276-278
- VAN WYK, A.E. & POTGIETER, M.J.
Two new species of *Apodytes* (Icacinaeae) from southern Africa 231-239
- VAN WYK, A.E. *see* POTGIETER, M.J. 117-122
- VAN WYK, B.-E. & TILNEY, P.M.
The taxonomic value of fruit wall structure in the genus *Annesorhiza* (Apiaceae) 240-244
- VAN WYK, B.-E. *see* DE CASTRO, A. 345-350
- VENTER, H.J.T. & VERHOEVEN, R.L.
Buckollia, a new genus in the Periplocaceae 93-98
- VENTER, H.J.T. *see* MALAN, P.W. 245-250
- VENTER, H.J.T. *see* VERHOEVEN, R.L. 198-202
- VERHOEVEN, R.L. & VENTER, H.J.T.
Pollen morphology of *Periploca* (Periplocaceae) 198-202
- VERHOEVEN, R.L. *see* VENTER, H.J.T. 93-98
- VISSER, N.C. & SPIES, J.J.
Cytogenetic studies in the genus *Tribolium* (Poaceae: Danthonieae). I. A taxonomical overview 127-131
- VISSER, N.C. & SPIES, J.J.
Cytogenetic studies in the genus *Tribolium* (Poaceae: Danthonieae). II. A report on embryo sac development, with special reference to the occurrence of apomixis in diploid specimens 22-26
- VISSER, N.C. & SPIES, J.J.
Cytogenetic studies in the genus *Tribolium* (Poaceae: Danthonieae). III. Section *Tribolium* 31-39
- VISSER, N.C. & SPIES, J.J.
Cytogenetic studies in the genus *Tribolium* (Poaceae: Danthonieae). IV. Section *Uniolae* 279-284
- VISSER, N.C. & SPIES, J.J.
Cytogenetic studies in the genus *Tribolium* (Poaceae: Danthonieae). V. Section *Acutiflorae*, related genera, and conclusions 285-292
- WARD, C.J. *see* BROWNING, J. 169-174
- WEHNER, F.C. *see* OPPERMAN, L. 367-72
- WEIGEND, M. & EDWARDS, T.J.
Notes on *Streptocarpus primulifolius* (Gesneriaceae) 168-169
- WILSON, P.J., DICKS, H.M. & VAN STADEN, J.
Variation in the rooting of mung bean (*Vigna radiata*) seedling stem cuttings 276-278
- YAO, J.-L., ROWLAND, R.E. & COHEN, D.
Karyotype studies in the genus *Zantedeschia* (Araceae) 4-7